

2002 EQIP Scoring Worksheet - Water Conservation

Applicant _____ Date _____
 Farm Number _____ County _____
 Tract Number(s) _____ Evaluator _____

Conservation Practices in Water Conservation Resource Concern	Field Numbers	Quantity	Units	Possible Points	Check
Irrigation Land Leveling 464 (regrade) (Points and costshare may only be received on fields currently being surface irrigated. <u>Points</u> may be awarded only on fields that need regrading and have a regrade planned; fields which currently meet the Irrigation Land Leveling specification will <u>not</u> receive points. <u>Cutsheets must be submitted within 15 months of contract acceptance</u> by USDA.)			acres	1	<input type="checkbox"/>
Irrigation System- Drip 441 (Only applicable if converting from an existing surface or sprinkler irrigation system)			acres	3	<input type="checkbox"/>
Irrigation System - Sprinkler 442 (re-nozzle)			ft.	2	<input type="checkbox"/>
Irrigation System - Sprinkler 442 (re-nozzle and drops)			ft.	3	<input type="checkbox"/>
Irrigation System - Sprinkler 442 (re-nozzle, drops, and pressure regulators) (Points may be awarded in <u>only one</u> sprinkler category per system. Costshare and points for pressure regulators are only applicable on fields with <u>slopes equaling or exceeding 0.5%</u> .)			ft.	4	<input type="checkbox"/>
Irrigation System - Surface and Subsurface 443 (surge valve)			acres	2	<input type="checkbox"/>
Structure for Water Control 587 (permanent outside levees) (Points may be awarded in <u>only one category</u> , 443 or 587. Costshare and points may only be awarded on fields with planned levees on all sides of the field except for crown. Flat graded fields must have planned levees on all sides of the field to be awarded costshare or points. Points may <u>ONLY</u> be awarded for planned surge valves.)			ft.	2	<input type="checkbox"/>
Irrigation System - Tailwater Recovery 447 (Points may only be awarded for planned systems in EQIP, not for existing systems.)			unit	4	<input type="checkbox"/>
Irrigation Water Conveyance - Pipeline 430-DD (less than or equal to 100 ft.)			ft.	1	<input type="checkbox"/>
Irrigation Water Conveyance - Pipeline 430-DD (greater than 100 ft.) (Points may only be awarded for planned systems in EQIP, not for existing systems.)			ft.	2	<input type="checkbox"/>

Note: Points are only available for fields receiving EQIP costshare assistance. Points may only be awarded once per category. All participants must follow an NRCS approved Irrigation Water Management Plan in conjunction with practice(s) selected.

ENVIRONMENTAL SCORE for WATER CONSERVATION RESOURCE CONCERN:

TOTAL RANKING POINTS (add all points corresponding to "checked" boxes above) **subtotal =** _____

Number of additional resource concerns addressed with assistance provided under this EQIP contract _____

TOTAL ENVIRONMENTAL SCORE (subtotal + Number of additional concerns) _____